

EDUCATIONAL COLLECTIONS

OF

Australian Plants,

UNDER THE AUSPICES OF THE

VICTORIAN GOVERNMENT,

ISSUED BY

BARON FERD. VON MUELLER, C.M.G., M.D., PH.D., F.R.S.,

GOVERNMENT BOTANIST.

FIRST PART.

BY AUTHORITY :

JOHN FERRES, GOVERNMENT PRINTER, MELBOURNE.

MDCCLXXIII.



Gentiana saxosa ;

G. FORSTER,

Svensk Kongl. Vetenskaps Academiens Handlingar 1777, pag. 183, tab. 5.


ORDER GENTIANEÆ.

South-east Australia, Tasmania, New Zealand, South America

Properties : tonic.

Upper Yarra.

Contributor : C. Walter.



Cladonia retipora ;

Floerke de Cladoniis Commentatio, pag. 181. (1828.)

ORDER LICHENES.

Extratropic Australia and New Zealand.

Apollo Bay.

Contributor : C. Walter.



Myosotis suaveolens ;

POIRET,

Encyclopédie Méthodique, Supplement, vol. iv. pag. 44. (1816.)

ORDER ASPERIFOLIÆ.

South-east Australia.

Upper Yarra.

Contributor : C. Walter.



Leptospermum myrsinoides ;

VON SCHLECHTENDAL,

Linnaea, xx. 653. (1847.)

ORDER MYRTACEÆ.

New South Wales, Victoria, South Australia.

Sandy heathland, Port Phillip.

Contributor : C. Grøener.



***Hovea heterophylla* ;**

A. CUNNINGHAM,

J. Hooker, Flora Tasmania, vol. i. pag. 93, tab. 15. (1860.)

ORDER LEGUMINOSÆ.

South-east Australia.

Grampians.

Contributor : D. Sullivan.



Bossiæa cinerea;

R. BROWN,

Aiton, Hortus Kewensis, second edition, vol. iv. pag. 268. (1812.)

ORDER LEGUMINOSÆ.

South-east Australia.

Port Phillip.

Contributor : C. Groener.



Platylobium formosum ;

SMITH,

Specimen of the Botany of New Holland, pag. 17, tab. 6. (1793.)

ORDER LEGUMINOSÆ.

South-east Australia.

Dandenong.

Contributor : C. Walter.



Caulinia prostrata ;

FERD. VON MUELLER,

Fragmenta Phytographiæ Australiæ, vol. vii. pag. 128. (1871.)

Kennedyia prostrata, R. Brown in W. T. Aiton's *Hortus Kewensis*,
second edition, vol. iv. 299. (1812.)

ORDER LEGUMINOSÆ.

Widely diffused through extratropical Australia.

Port Phillip.—Contributor : G. Luehmann.



***Pultenaea Gunnii*;**

BENTHAM,


Annalen des Wiener Museums, vol. ii. pag. 82. (1840.)

ORDER LEGUMINOSÆ.

Victoria and Tasmania.

Dandenong.

Contributor : C. Walter.



Myriophyllum amphibium;

LA BILLARDIÈRE,


Plantarum Novæ Hollandiæ Specimen, vol. ii. pag. 70, tab. 220. (1806.)

ORDER HALORAGÆ.

Victoria and Tasmania.

Curdie's River.

Contributor : Baron Von Mueller.



Hydrocotyle laxiflora;

CANDOLLE,

Prodromus Systematis Naturalis Regni Vegetabilis, vol. iv. pag. 61. (1830.)

South-east Australia.

Port Phillip.

Contributor : G. Luehmann.



Xanthosia tridentata ;

CANDOLLE,

Prodromus Systematis Naturalis Regni Vegetabilis, vol. iv. pag. 75. (1830.)

ORDER UMBELLIFERÆ.

Victoria, New South Wales.

Wilson's Promontory.

Contributor : Baron Von Mueller.



Bauera rubioides ;

ANDREWS,

Botanist's Repository, 198. (1799.)

ORDER SAXIFRAGEÆ.

New South Wales, Victoria, Tasmania.

Dandenong.

Contributor : C. Walter.



Rubus parvifolius ;

LINNÉ,

Species Plantarum, editio secunda, pag. 707. (1762.)

Native Raspberry.

ORDER ROSACEÆ.

South and East Australia, East Asia.

Dandenong.

Contributor : C. Walter.



Tillæa intricata ;

NEES VON ESENBECK,
Lehmann Plantæ Preissianæ, i. 278. (1845.)

ORDER CRASSULACEÆ.

Extratropical Australia, also in Tasmania.

Banks of the Loddon.

Contributor : Baron Von Mueller.



Linum marginale;

ALL. CUNNINGHAM,

Hooker's London Journal of Botany, vol. vii. pag. 169. (1848.)

Native Flax.

ORDER LINEÆ.

Extratropic Australia.

Dandenong.

Contributor : C. Walter.



***Stellaria flaccida* ;**

HOOKER,

Companion to the Botanic Magazine, vol. i. pag. 275. (1835.)

ORDER CARYOPHYLLÆ.

Extratropic Australia.

Upper Yarra.

Contributor : C. Walter.



Hibbertia densiflora ;

FERD. VON MUELLER,

Plants Indigenous to the Colony of Victoria, vol. i. pag. 15. (1860-62.)

ORDER DILLENACEÆ.

South Australia, Victoria, New South Wales, Tasmania.

Port Phillip.

Contributor : G. Luehmann.



Comesperma ericinum;

CANDOLLE,

Prodromus Systematis Naturalis Regni Vegetabilis, vol. i. pag. 334. (1824.)

ORDER POLYGALEÆ.

South-east Australia.

Dandenong.

Contributor : C. Walter.



Spinifex hirsutus ;

LABILLARDIÈRE,

Novæ Hollandiæ Plantarum Specimen, vol. ii. pag. 81, t. 230 et 231. (1806.)

ORDER GRAMINEÆ.

Extratropic Australia.

Port Phillip.

Contributor : G. Luehmann.



Aster argophyllus ;

LA BILLARDIÈRE,

Plantarum Novæ Hollandiæ Specimen, vol. ii. pag. 52, tab. 201. (1806.)

Musk Aster.

ORDER COMPOSITÆ.

New South Wales, Victoria, Tasmania.

Upper Yarra.

Contributor : C. Walter.



Pomaderris prunifolia ;

A. CUNNINGHAM,

Huegel, Enumeratio Plantarum Novæ Hollandiæ Austro-occidentalis,
pag. 22. (1837.)

ORDER RHAMNACEÆ.

New South Wales, Victoria.

Upper Yarra.

Contributor : C. Walter.



Billardiera cymosa ;

FERD. VON MUELLER,
Transactions of the Victorian Institute 1855, 29.

ORDER PITTOSPOREÆ.

South Australia, Victoria.

You Yangs.

Contributor : J. P. Fullagar.



Clematis microphylla ;

DE CANDOLLE,

Regni Vegetabilis Systema Naturale, vol. i. pag. 147. (1818.)

ORDER RANUNCULACEÆ.

Springly through the greater part of extratropical Australia.

Port Phillip.—Contributor : C. Schlipalius.



Styphelia Richei;

LA BILLARDIÈRE,

Novæ Hollandiæ Plantarum Specimen, vol. i. pag. 44, tab. 60. (1804.)

ORDER EPACRIDÆ.

Extratropic Australia.

Port Phillip.

Contributor : G. Luehmann.



Aster argophyllus ;

LA BILLARDIÈRE,

Plantarum Novæ Hollandiæ Specimen, vol. ii. pag. 52, tab. 201. (1806.)

Musk Aster.

ORDER COMPOSITÆ.

New South Wales, Victoria, Tasmania.

Upper Yarra.

Contributor : C. Walter.



Senecio vagus ;

FERD. VON MUELLER,


Transactions of the Philosophic Society of Victoria, vol. i. pag. 46. (1855.)

ORDER COMPOSITÆ.

New South Wales and Victoria.

Upper Yarra.

Contributor : C. Walter.



Helipterum exiguum;

FERD. VON MUELLER,

Transactions of the Victorian Institute 1855, p. 39.

ORDER COMPOSITÆ.

Extratropical Australia.

You Yangs.

Contributor : J. P. Fullagar.



Leptorrhynchus tenuifolius ;

FERD. VON MUELLER,
Fragmenta Phytographiæ Australiæ, i. 52. (1858.)

ORDER COMPOSITÆ.

Victoria.

Plains on the Yarra.

Contributor : C. Walter.



Rutidosia leptorrhynchoides;

FERD. VON MUELLER;

Fragmenta Phytographiæ Australiæ, v. 148. (1866.)

ORDER COMPOSITÆ.

New South Wales, Victoria.

You Yangs.

Contributor : J. P. Fullagar.



Brachycome graminea ;

FERD. VON MUELLER,
Fragmenta Phytographiæ Australiae, vol. i. pag. 49. (1858.)

Grass-Daisy.

ORDER COMPOSITÆ.

New South Wales, Victoria, South Australia, Tasmania.

Port Phillip.

Contributor : G. Luehmann.



Melaleuca ericifolia ;

SMITH,

Transactions of the Linnean Society, vol. iii. pag. 276. (1797.)

ORDER MYRTACEÆ.

South-east Australia.

Port Phillip.

Contributor : G. Luehmann.



Callistemon salignus ;

DE CANDOLLE,


Prodromus Systematis Regni Vegetabilis, iii. 223. (1828.)

ORDER MYRTACEÆ.

From South Australia to Queensland, also in Tasmania.

Banks of the Loddon.

Contributor : Baron Von Mueller.



Utricularia lateriflora ;

R. BROWN,


Prodromus Floræ Novæ Hollandiæ, 431. (1810.)

ORDER LENTIBULARINÆ.

Tasmania, Victoria, New South Wales.

Heathbogs on Curdie's River.

Contributor : Baron Von Mueller.



Statice Taxanthemea ;


Rœmer et Schultes Systema Vegetabilium, vi. 793. (1820.)

ORDER PLUMBAGINEÆ.

From Victoria and Tasmania through East Australia to New
Caledonia, China and Japan.

Saline meadows at Circular Head.

Contributor : Baron Von Mueller.



Trichinium macrocephalum ;

R. BROWN,

Prodromus Floræ Novæ Hollandiæ, pag. 415. (1810.)

ORDER AMARANTACEÆ.

Victoria, New South Wales, Queensland.

You Yangs.

Contributor : Jam. Fullagar.



***Atriplex crystallinum* ;**

J. HOOKER,

London Journal of Botany, vol. vi. pag. 279. (1847.)

ORDER SALSOLACEÆ.

Victoria, Tasmania, New Zealand.

Between Warrnambool and Port Fairy.

Contributor : Baron Von Mueller.



Teucrium corymbosum ;

R. BROWN,

Prodromus Floræ Novæ Hollandiæ, pag. 504. (1810.)

ORDER LABIATÆ.

South-east Australia.

Upper Yarra.

Contributor : C. Walter.



Prostanthera lasianthos ;

LABILLARDIÈRE,

Novæ Hollandiæ Plantarum Specimen, vol. ii. pag. 18, tab. 157. (1806.)


Labiatae-tree.

ORDER LABIATÆ.

South-east Australia.

Upper Yarra.

Contributor : G. Luehmann.



Veronica gracilis ;

R. BROWN,


Prodromus Florae Novae Hollandiae, pag. 435. (1810.)

ORDER SCROPHULARINÆ.

South-east Australia.

Upper Yarra.

Contributor : C. Walter.



Gratiola Peruviana ;

LINNÉ,

Species Plantarum, p. 17. (1753.)

ORDER SCROPHULARINÆ.

Extratropic Australia, New Zealand and South America.

Properties powerfully drastic.

Sources of the Loddon.

Contributor : Baron Von Mueller.



Pimelea phyllicoides ;

MEISSNER,

Lehmann Plantæ Preissianæ, vol. ii. pag. 271. (1847.)

ORDER THYMELEÆ.

New South Wales, Victoria, South Australia.

Port Phillip.

Contributor : G. Luchmann.



***Pterostylis semirubra*;**


FERD. VON MUELLER,
Fragmenta Phytographiae Australiæ, vol. viii. pag. 249. (1874.)

ORDER ORCHIDEÆ.

Victoria and Tasmania.

Apollo Bay.

Contributor : C. Walter.



Microtis porrifolia ;

R. BROWN,
Prodromus Floræ Novæ Hollandiæ, pag. 320. (1810.)

ORDER ORCHIDÆ.

Extratropic and eastern subtropic Australia.

Port Phillip.

Contributor : C. Groener.



Xyris gracilis ;

R. BROWN,


Prodromus Floræ Novæ Hollandiæ, 256. (1810.)

ORDER XYRIDEÆ.

Tasmania, Victoria, and New South Wales.

Heaths at Circular Head.

Contributor : Baron Von Mueller.



Thysanotus tuberosus ;

R. BROWN,

Prodromus Floræ Novæ Hollandiæ, pag. 282. (1810.)

Straight Fringelily.

ORDER LILIACEÆ.

South-east Australia.

Upper Yarra.

Contributor : C. Walter.



Tricoryne elatior;

R. BROWN,
Prodromus Floræ Novæ Hollandiæ, pag. 278. (1810.)

ORDER LILIACEÆ.

Extratropic and eastern subtropic Australia.

Port Phillip.

Contributor : C. Groener.



Calostrophus elongatus ;

LA BILLARDIÈRE,
Novæ Hollandiæ Plantarum Specimen, ii. 78. (1806.)

ORDER RESTIACEÆ.

Tasmania.

Heath-swamps towards Arthur's River.

Contributor : Baron Von Mueller.



Spinifex hirsutus ;

LABILLARDIÈRE,


Novæ Hollandiæ Plantarum Specimen, vol. ii. pag. 81, t. 230 et 231. (1806.)

ORDER GRAMINEÆ.

Extratropic Australia.

Port Phillip.

Contributor : G. Luehmann.



***Pteris incisa* ;**

THUNBERG,

Prodromus Plantarum Capensium, pag. 171. (1800.)

ORDER FILICES.

East Australia, New Zealand, Polynesia, South Asia, South
America, Africa.

Upper Yarra.

Contributor : G. Luehmann.



Dicksonia antarctica ;

LA BILLARDIÈRE,

Novæ Hollandiæ Plantarum Specimen, vol. ii. pag. 100, tab. 249. (1806.)

ORDER FILICES.

South-east Australia, New Zealand, Polynesia.

Upper Yarra.

Contributor : C. Walter.



Gleichenia flabellata ;

R. BROWN,
Prodromus Floræ Novæ Hollandiæ, pag. 161. (1810.)

ORDER FILICES.

Victoria, Tasmania, New South Wales, Queensland, New
Zealand, Polynesia.

Upper Yarra.

Contributor : G. Luehmann.



Asplenium umbrosum ;

J. SMITH,

Hooker's Journal of Botany, vol. iv. pag. 174. (1842.)

ORDER FILICES.

Africa, South Asia, East Australia, New Zealand.

Upper Yarra.

Contributor : G. Luehmann.